

BERYLLIUM IMPORTANT INFORMATION

HAZARD IDENTIFICATION

EMERGENCY OVERVIEW Metallic product which poses little or no immediate hazard in solid form. See label in Section 'Beryllium Solid' below. If the material is involved in a fire; pressure-demand self-contained breathing apparatus and protective clothing must be worn by persons potentially exposed to the airborne particulate during or after a fire.

Beryllium Solid

WARNING

INHALING DUST OR FUMES MAY CAUSE CHRONIC BERYLLIUM DISEASE, A SERIOUS CHRONIC LUNG DISEASE, IN SOME INDIVIDUALS. CANCER HAZARD. OVER TIME, LUNG DISEASE AND CANCER CAN BE FATAL. TARGET ORGAN IS PRIMARILY THE LUNG. READ THE MATERIAL SAFETY DATA SHEET (MSDS) ON FILE WITH YOUR EMPLOYER BEFORE WORKING WITH THIS MATERIAL.

Overexposure to beryllium by inhalation may cause chronic beryllium disease, a serious chronic lung disease.

- If processing or recycling produces airborne dust, fumes, or mists, use exhaust ventilation or other controls designed to prevent exposure to workers. Examples of such activities include melting, machining, welding, grinding, abrasive sawing, sanding and polishing. Any activity which abrades the surface of this material can generate airborne dust.
- The Occupational Safety and Health Administration (OSHA) has set mandatory limits on occupational exposures.
- Beryllium metal, in solid form and as contained in finished products presents no special health risks.
- Sold for manufacturing purposes only. This product can be recycled; contact your sales representative.

All above information's above are given by Beryllium supplier.

This info could be found inside the packaging on each driver as well.